



Nantucket
S I N K S

Vitreous China Undermount
& Vessel Bath Sinks

Great Point
& Brant Point
Collections

V01.19



There are many choices out there when it comes to bathroom vanity sinks and we hope to be the solution you need. Our undermount assortment of ceramic sinks provide choices for a wide range of bathroom configurations including our featured 13" x 10" undermount with its space saving properties! The next generation are slipping into home ownership by adopting the 'tiny house' philosophy.

Of course, if you've got the space to spread out, grab one of our 19" x 11" and create a beautiful double vanity or opt for a stand-out vessel style sink. All Nantucket models are durable vitreous china, finished in a porcelain enamel glaze to stand up to daily use in the bathroom, including gels, soaps and toothpastes! Whatever your living accommodations, Nantucket has a sink to get the job done in style.





VITREOUS CHINA UNDERMOUNT

All Dimensions are Nominal +/- .25"

UM-16X11-W





UM-16X11-B



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow





UM-18X13-W



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



Nantucket SINKS

GREAT POINT COLLECTION 2

VITREOUS CHINA UNDERMOUNT

All Dimensions are Nominal +/- .25"



UM-18X12-W





UM-18X12-B



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



UM-19X11-W





UM-19X11-B



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



Nantucket
S I N K S

3 GREAT POINT COLLECTION

VITREOUS CHINA UNDERMOUNT



All Dimensions are Nominal +/- .25"

UM-2112-W



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



UM-15X12-W





UM-15X12-B



DIMENSIONS

Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



Nantucket
S I N K S


GREAT POINT COLLECTION 4

VITREOUS CHINA UNDERMOUNT

All Dimensions are Nominal +/- .25"




UM-17X14-W-K UM-17X14-B-K



UM-13X10-W

UM-13X10-B



VITREOUS CHINA UNDERMOUNT

All Dimensions are Nominal +/- .25"



GB-18X12-W



GLAZED
BOTTOM



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



24
MINIMUM
SINK BASE





GB-15X12-W



GLAZED
BOTTOM



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow



21
MINIMUM
SINK BASE



Nantucket
S I N K S

GREAT POINT COLLECTION 6

VITREOUS CHINA UNDERMOUNT


All Dimensions are Nominal +/- .25"



GB-17X14-W




GLAZED
BOTTOM



GB-17X13-W



GLAZED
BOTTOM




7 GREAT POINT COLLECTION



VITREOUS CHINA TOPMOUNT

All Dimensions are Nominal +/- .25"

DI-2418-R8




27
MINIMUM
SINK BASE



OVERFLOW

DI-2114-R



24
MINIMUM
SINK BASE



NO
OVERFLOW




Nantucket
S I N K S

GREAT POINT COLLECTION 8


VITREOUS CHINA TOPMOUNT

All Dimensions are Nominal +/- .25"

DI-2317-R1



DI-2317-R8



9 GREAT POINT COLLECTION



Nantucket

S I N K S



Sink either is with overflow or without overflow.



Verify the the installation process defined fits the needs of your bathroom project.



Verify that you have the minimum sink base recommended for installation.



Non-porous surface inhibits bacterial growth.



Porcelain enamel glazed surface resists staining.



Naturally sound absorbing.



Uses all natural materials and can return to the earth at end of sink's usage.

Mounting hardware supplied for most models.

Templates supplied for most models.


Easy to clean surface.

BRANT POINT COLLECTION


VITREOUS CHINA VESSEL

All Dimensions are Nominal +/- .25"

NSV105



NSV107A







VITREOUS CHINA VESSEL

All Dimensions are Nominal +/- .25"

NSV213



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow





NSV218



Approximate 6.0" diameter cut out required to accommodate drain and overflow extension. Please use actual sink as template.



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow




Nantucket

S I N K S

VITREOUS CHINA VESSEL


All Dimensions are Nominal +/- .25"

NSV222



FIRECLAY VESSEL

CANAL35-90



13 BRANT POINT COLLECTION



VITREOUS CHINA VESSEL

NSV305

All Dimensions are Nominal +/- .25"



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
With Overflow





18
MINIMUM
SINK BASE



NSV109



DIMENSIONS



Drain Hole Diameter 1.75"
Standard Vanity Drain Required
No Overflow



18
MINIMUM
SINK BASE



Nantucket
S I N K S



Nantucket
S I N K S

PREMIUM
BATH ACCESSORIES
COLLECTION

Drains to fit your
Vitreous China needs.



NS-UDORB
Oil Rubbed Bronze Finish
(Pop-Up) Umbrella Drain
*Designed for sinks
with no overflow*

Fits 1.5" sink drain hole
2.5"W x 8.5"H
*Fits the following sinks:
NSV105A, NS107A,
NSV109 & NSV222*



NS-UDBN-OF
Brushed Nickel Finish
(Pop-Up) Umbrella Drain
*Designed for sinks
with overflow*

Fits 1.5" sink drain hole
2.5"W x 8.5"H
*Fits the following sinks:
NSV213, NSV218, NSV305,
UM-13X10, UM-15X12, UM-16X11,
UM-17X14-K, UM-18X12*



NS-UDC
Chrome Finish
(Pop-Up) Umbrella Drain
*Designed for sinks
with no overflow*

Fits 1.5" sink drain hole
2.5"W x 8.5"H
*Fits the following sinks:
NSV105A, NS107A,
NSV109 & NSV222*



NS-UDC-OF
Chrome Finish
(Pop-Up) Umbrella Drain
*Designed for sinks
with overflow*

Fits 1.5" sink drain hole
2.5"W x 8.5"H
*Fits the following sinks:
NSV213, NSV218, NSV305,
UM-13X10, UM-15X12, UM-16X11,
UM-17X14-K, UM-18X12*